

CORRIGENDUM

CONTRACT NOTICE No 03

II.1.1) Contract Notice Title: Construction of an artificial grass football field

II.1.1) Contract Notice Reference Number: CB007.2.21.072 –PP1-TD01

VII. 1.1) Reason for change

Modification of original information submitted by the contracting authority.

VII.1.2) Text to be corrected in the original notice

The following alternations and/or corrections are made

In the document VOLUME 3 Technical qualifications - Construction of an artificial grass football field architectural and construction part I / Position 13 /4.3.

Instead of *Supply, transport and installation of synthetic grass. Purpose: football. The required characteristics of artificial grass:*

- * *Fiber type: Polyethylene (PE) -monofilament avke*
 - * *Fiber fineness: min. 15. 000 dtex*
 - * *Fiber thickness: min. 410 microns*
 - * *Number of loops / m²: min. 9.449*
 - * *Number of fibers / m²: min. 113.386*
 - * *Artificial grass color: green - two shades*
 - * *Primary substrate: Polypropylene (PP) 100%* Secondary substrate: SBR latex*
 - * *Grass tear resistance (N): >30*
 - * *UV stabilization (QUV-lamp A) (h) : 3.000*
 - * *Color stability-gray scale: >4*
 - * *Fiber height: min. 60mm*
 - * *Total weight g / m²: min. 3090*
 - * *Terrain marking according to the project with white lines 12 cm wide*
 - * *Filling: quartz sand and SBR rubber granulate, all according to the manufacturer's specification*
- Mandatory conditions:*
- * *FIFA recommended manufacturer*
 - * *Technical specification of grass*
 - * *FIFA LABO TEST with Fifa Quality & Quality pro for artificial grass*
 - * *LABO TEST EN Standard 15330-1*
 - * *LABO TEST synthetic grass fibers*
 - * *Warranty on synthetic grass for large terrains: 8 years*
- The calculation is performed per m² of placed synthetic grass.*
105x70 = 7350 m²

Read: *Supply, transport and installation of synthetic grass. Purpose: football. The required characteristics of artificial grass:*

- * *Fiber type: Polyethylene (PE) -monofilament avke*
- * *Fiber fineness: min. 15. 000 dtex*
- * *Fiber thickness: min. 410 microns*

August 2020

a5b_corrigocontractnotice_en3.doc

- * *Number of loops / m²: min. 9.449*
 - * *Number of fibers / m²: min. 113.386*
 - * *Artificial grass color: green - two shades*
 - * *Primary substrate: Polypropylene (PP) 100%* Secondary substrate: SBR latex*
 - * *Grass tear resistance (N): >30*
 - * *UV stabilization (QUV-lamp A) (h) : 3.000*
 - * *Color stability-gray scale: >4*
 - * *Fiber height: min. 60mm*
 - * *Total weight g / m²: min. 3090*
 - * *Terrain marking according to the project with white lines 12 cm wide*
 - * *Filling: quartz sand and SBR rubber granulate, all according to the manufacturer's specification*
- Mandatory conditions:*
- * *FIFA recommended manufacturer*
 - * *Technical specification of grass*
 - * *FIFA LABO TEST with Fifa Quality & Quality pro for artificial grass*
 - * *LABO TEST EN Standard 15330-1*
 - * *LABO TEST synthetic grass fibers*
 - * *Warranty on synthetic grass for large terrains: 8 years*
- The calculation is performed per m² of placed synthetic grass.*
105x70 = 7350 m²

NOTE: All conditions specified within technical specification/required characteristics of artificial grass should be provided certified with the offered product and that no additional tests are required.

If the characteristics related to Labo test EN standard 15330-1 and Labo test for synthetic grass fibers are already included in FIFA LABO TEST tenderer should present appropriate clarification which proves tenderer's statement.

VII.2) Other additional information:

All other terms and conditions of the contract notice, and tender dossier remain unchanged. The above alterations and/or corrections to the contract notice are integral part of the contract notice and tender dossier.